



250800341037

报告编号: SZ25060018

# 检测报告

TEST REPORT

|      |                     |
|------|---------------------|
| 样品名称 | 水厂出厂水               |
| 委托单位 | 双鸭山市宝山区住房和城乡建设局供水公司 |
| 检测类别 | 委托检验                |

黑龙江中诺检验检测有限公司

HeiLongjiang Zhongnuo Inspection and Testing co., LTD.



# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 1 页 共 7 页

|         |                                                                                                                 |      |                                       |
|---------|-----------------------------------------------------------------------------------------------------------------|------|---------------------------------------|
| 样品名称    | 水厂出厂水                                                                                                           |      |                                       |
| 规格型号    | ——                                                                                                              | 样品数量 | 120L                                  |
| 生产日期    | ——                                                                                                              | 批号   | ——                                    |
| 样品等级    | ——                                                                                                              | 商标   | ——                                    |
| 样品来源    | 采样                                                                                                              | 样品状态 | 液体                                    |
| 委托单位及地址 | 双鸭山市宝山区住房和城乡建设局供水公司<br>双鸭山市宝山区双七公里中段旁                                                                           |      |                                       |
| 受测单位及地址 | 双鸭山市宝山区住房和城乡建设局供水公司<br>双鸭山市宝山区双七公里中段旁                                                                           |      |                                       |
| 样品接收日期  | 2025 年 06 月 16 日                                                                                                | 检测日期 | 2025 年 06 月 16 日<br>-2025 年 07 月 03 日 |
| 检测项目    | 总大肠菌群、铅、菌落总数等 97 项                                                                                              |      |                                       |
| 判定依据    | GB 5749-2022 《生活饮用水卫生标准》                                                                                        |      |                                       |
| 检测结论    | 该样品经检测, 所检项目符合判定标准的要求。<br> |      |                                       |
| 备注      | ——                                                                                                              |      |                                       |

主检人

史素芳

审核人

李庆杰

批准人

史素芳

签发日期

2025 年 07 月 03 日

# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 2 页 共 7 页

| 序号 | 检测项目                                         | 单位        | 标准限值                                             | 检测结果      | 单项结论 | 检测方法                      |
|----|----------------------------------------------|-----------|--------------------------------------------------|-----------|------|---------------------------|
| 1  | 总大肠菌群                                        | MPN/100mL | 不应检出                                             | 未检出       | 合格   | GB/T 5750.12-2023<br>5.1  |
| 2  | 大肠埃希氏菌                                       | MPN/100mL | 不应检出                                             | 未检出       | 合格   | GB/T 5750.12-2023<br>7.1  |
| 3  | 菌落总数                                         | CFU/mL    | ≤100                                             | 36        | 合格   | GB/T 5750.12-2023<br>4.1  |
| 4  | 砷                                            | mg/L      | ≤0.01                                            | <0.0010   | 合格   | GB/T 5750.6-2023<br>9.1   |
| 5  | 镉                                            | mg/L      | ≤0.005                                           | <0.0005   | 合格   | GB/T 5750.6-2023<br>12.1  |
| 6  | 铬（六价）                                        | mg/L      | ≤0.05                                            | <0.004    | 合格   | GB/T 5750.6-2023<br>13.1  |
| 7  | 铅                                            | mg/L      | ≤0.01                                            | <0.0025   | 合格   | GB/T 5750.6-2023<br>14.1  |
| 8  | 汞                                            | mg/L      | ≤0.001                                           | <0.0001   | 合格   | GB/T 5750.6-2023<br>11.1  |
| 9  | 氰化物                                          | mg/L      | ≤0.05                                            | <0.002    | 合格   | GB/T 5750.5-2023<br>7.1   |
| 10 | 氟化物                                          | mg/L      | ≤1.0                                             | <0.1      | 合格   | GB/T 5750.5-2023<br>6.3   |
| 11 | 硝酸盐（以 N 计）                                   | mg/L      | ≤10                                              | 3.3       | 合格   | GB/T 5750.5-2023<br>8.2   |
| 12 | 三氯甲烷                                         | mg/L      | ≤0.06                                            | <0.000032 | 合格   | GB/T 5750.10-2023<br>4.3  |
| 13 | 一氯二溴甲烷                                       | mg/L      | ≤0.1                                             | <0.000016 | 合格   | GB/T 5750.10-2023<br>7.2  |
| 14 | 二氯一溴甲烷                                       | mg/L      | ≤0.06                                            | <0.000015 | 合格   | GB/T 5750.10-2023<br>6.2  |
| 15 | 三溴甲烷                                         | mg/L      | ≤0.1                                             | <0.000041 | 合格   | GB/T 5750.10-2023<br>5.2  |
| 16 | 三卤甲烷<br>（三氯甲烷、一氯二溴<br>甲烷、二氯一溴甲烷、<br>三溴甲烷的总和） | ——        | 该类化合物中各<br>种化合物的实测<br>浓度与其各自限<br>值的比值之和不<br>超过 1 | <0.001    | 合格   | ——                        |
| 17 | 二氯乙酸                                         | mg/L      | ≤0.05                                            | <0.0020   | 合格   | GB/T 5750.10-2023<br>15.1 |



# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 3 页 共 7 页

| 序号 | 检测项目                         | 单位   | 标准限值                 | 检测结果       | 单项结论 | 检测方法                      |
|----|------------------------------|------|----------------------|------------|------|---------------------------|
| 18 | 三氯乙酸                         | mg/L | $\leq 0.1$           | $< 0.0010$ | 合格   | GB/T 5750.10-2023<br>16.1 |
| 19 | 溴酸盐                          | mg/L | $\leq 0.01$          | $< 0.005$  | 合格   | GB/T 5750.10-2023<br>22.1 |
| 20 | 亚氯酸盐                         | mg/L | $\leq 0.7$           | $< 0.04$   | 合格   | GB/T 5750.10-2023<br>20.1 |
| 21 | 氯酸盐                          | mg/L | $\leq 0.7$           | $< 0.23$   | 合格   | GB/T 5750.10-2023<br>21.1 |
| 22 | 色度<br>(铂钴色度单位)               | 度    | $\leq 15$            | $< 5$      | 合格   | GB/T 5750.4-2023<br>4.1   |
| 23 | 浑浊度<br>(散射浑浊度单位)             | NTU  | $\leq 1$             | $< 1$      | 合格   | GB/T 5750.4-2023<br>5.2   |
| 24 | 臭和味                          | ——   | 无异臭、异味               | 无异臭、异味     | 合格   | GB/T 5750.4-2023<br>6.1   |
| 25 | 肉眼可见物                        | ——   | 无                    | 无          | 合格   | GB/T 5750.4-2023<br>7.1   |
| 26 | pH                           | ——   | 不小于 6.5 且不<br>大于 8.5 | 7.24       | 合格   | GB/T 5750.4-2023<br>8.1   |
| 27 | 铝                            | mg/L | $\leq 0.2$           | $< 0.040$  | 合格   | GB/T 5750.6-2023<br>4.4   |
| 28 | 铁                            | mg/L | $\leq 0.3$           | $< 0.0045$ | 合格   | GB/T 5750.6-2023<br>5.3   |
| 29 | 锰                            | mg/L | $\leq 0.1$           | $< 0.0005$ | 合格   | GB/T 5750.6-2023<br>6.5   |
| 30 | 铜                            | mg/L | $\leq 1.0$           | $< 0.009$  | 合格   | GB/T 5750.6-2023<br>7.5   |
| 31 | 锌                            | mg/L | $\leq 1.0$           | $< 0.001$  | 合格   | GB/T 5750.6-2023<br>8.3   |
| 32 | 氯化物                          | mg/L | $\leq 250$           | 17         | 合格   | GB/T 5750.5-2023<br>5.1   |
| 33 | 硫酸盐                          | mg/L | $\leq 250$           | 18         | 合格   | GB/T 5750.5-2023<br>4.1   |
| 34 | 溶解性总固体                       | mg/L | $\leq 1000$          | 114        | 合格   | GB/T 5750.4-2023<br>11.1  |
| 35 | 总硬度<br>(以 $\text{CaCO}_3$ 计) | mg/L | $\leq 450$           | 75         | 合格   | GB/T 5750.4-2023<br>10.1  |

# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 4 页 共 7 页

| 序号 | 检测项目                           | 单位    | 标准限值    | 检测结果      | 单项结论 | 检测方法                     |
|----|--------------------------------|-------|---------|-----------|------|--------------------------|
| 36 | 高锰酸盐指数<br>(以 O <sub>2</sub> 计) | mg/L  | ≤3      | 1.38      | 合格   | GB/T 5750.7-2023<br>4.1  |
| 37 | 氨 (以 N 计)                      | mg/L  | ≤0.5    | 0.11      | 合格   | GB/T 5750.5-2023<br>11.1 |
| 38 | 总α放射性                          | Bq/L  | ≤0.5    | <0.02     | 合格   | GB/T 5750.13-2023<br>4.1 |
| 39 | 总β放射性                          | Bq/L  | ≤1      | <0.03     | 合格   | GB/T 5750.13-2023<br>5.1 |
| 40 | 贾第鞭毛虫*                         | 个/10L | <1      | 未检出       | 合格   | GB/T 5750.12-2023<br>8.1 |
| 41 | 隐孢子虫*                          | 个/10L | <1      | 未检出       | 合格   | GB/T 5750.12-2023<br>9.1 |
| 42 | 锑                              | mg/L  | ≤0.005  | <0.0005   | 合格   | GB/T 5750.6-2023<br>22.1 |
| 43 | 钡                              | mg/L  | ≤0.7    | <0.0003   | 合格   | GB/T 5750.6-2023<br>19.3 |
| 44 | 铍                              | mg/L  | ≤0.002  | <0.0002   | 合格   | GB/T 5750.6-2023<br>23.2 |
| 45 | 硼                              | mg/L  | ≤1.0    | <0.20     | 合格   | GB/T 5750.6-2023<br>29.1 |
| 46 | 钼                              | mg/L  | ≤0.07   | <0.005    | 合格   | GB/T 5750.6-2023<br>16.1 |
| 47 | 镍                              | mg/L  | ≤0.02   | <0.005    | 合格   | GB/T 5750.6-2023<br>18.1 |
| 48 | 银                              | mg/L  | ≤0.05   | <0.00009  | 合格   | GB/T 5750.6-2023<br>15.4 |
| 49 | 铊                              | mg/L  | ≤0.0001 | <0.00001  | 合格   | GB/T 5750.6-2023<br>24.1 |
| 50 | 硒                              | mg/L  | ≤0.01   | <0.0004   | 合格   | GB/T 5750.6-2023<br>10.1 |
| 51 | 高氯酸盐                           | mg/L  | ≤0.07   | <0.005    | 合格   | GB/T 5750.5-2023<br>14.1 |
| 52 | 二氯甲烷                           | mg/L  | ≤0.02   | <0.00199  | 合格   | GB/T 5750.8-2023<br>49.3 |
| 53 | 1,2-二氯乙烷                       | mg/L  | ≤0.03   | <0.000127 | 合格   | GB/T 5750.8-2023<br>5.1  |



# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 5 页 共 7 页

| 序号 | 检测项目             |            | 单位   | 标准限值          | 检测结果         | 单项结论 | 检测方法                     |
|----|------------------|------------|------|---------------|--------------|------|--------------------------|
| 54 | 四氯化碳             |            | mg/L | $\leq 0.002$  | $< 0.0001$   | 合格   | GB/T 5750.8-2023<br>4.1  |
| 55 | 氯乙烯              |            | mg/L | $\leq 0.001$  | $< 0.000237$ | 合格   | GB/T 5750.8-2023<br>7.2  |
| 56 | 1,1-二氯乙烯         |            | mg/L | $\leq 0.03$   | $< 0.000241$ | 合格   | GB/T 5750.8-2023<br>8.2  |
| 57 | 1,2-二氯乙烯<br>(总量) | 顺-1,2-二氯乙烯 | mg/L | $\leq 0.05$   | $< 0.000275$ | 合格   | GB/T 5750.8-2023<br>9.2  |
|    |                  | 反-1,2-二氯乙烯 |      |               |              |      |                          |
| 58 | 三氯乙烯             |            | mg/L | $\leq 0.02$   | $< 0.000220$ | 合格   | GB/T 5750.8-2023<br>10.1 |
| 59 | 四氯乙烯             |            | mg/L | $\leq 0.04$   | $< 0.000190$ | 合格   | GB/T 5750.8-2023<br>11.1 |
| 60 | 六氯丁二烯            |            | mg/L | $\leq 0.0006$ | $< 0.000121$ | 合格   | GB/T 5750.8-2023<br>47.1 |
| 61 | 苯                |            | mg/L | $\leq 0.01$   | $< 0.000078$ | 合格   | GB/T 5750.8-2023<br>21.3 |
| 62 | 甲苯               |            | mg/L | $\leq 0.7$    | $< 0.000230$ | 合格   | GB/T 5750.8-2023<br>22.1 |
| 63 | 二甲苯 (总量)         |            | mg/L | $\leq 0.5$    | $< 0.000066$ | 合格   | GB/T 5750.8-2023<br>23.1 |
| 64 | 苯乙烯              |            | mg/L | $\leq 0.02$   | $< 0.000125$ | 合格   | GB/T 5750.8-2023<br>38.3 |
| 65 | 氯苯               |            | mg/L | $\leq 0.3$    | $< 0.000125$ | 合格   | GB/T 5750.8-2023<br>26.1 |
| 66 | 1,4-二氯苯          |            | mg/L | $\leq 0.3$    | $< 0.000058$ | 合格   | GB/T 5750.8-2023<br>29.1 |
| 67 | 三氯苯<br>(总量)      | 1,2,4-三氯苯  | mg/L | $\leq 0.02$   | $< 0.000020$ | 合格   | GB/T 5750.8-2023<br>30.2 |
|    |                  | 1,2,3-三氯苯  | mg/L |               | $< 0.000011$ |      |                          |
|    |                  | 1,3,5-三氯苯  | mg/L |               | $< 0.000014$ |      |                          |
| 68 | 六氯苯              |            | mg/L | $\leq 0.001$  | $< 0.00025$  | 合格   | GB/T 5750.9-2023<br>23.2 |

# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 6 页 共 7 页

| 序号 | 检测项目            | 单位   | 标准限值           | 检测结果          | 单项结论 | 检测方法                      |
|----|-----------------|------|----------------|---------------|------|---------------------------|
| 69 | 七氯              | mg/L | $\leq 0.0004$  | $< 0.00034$   | 合格   | GB/T 5750.9-2023<br>22.2  |
| 70 | 马拉硫磷            | mg/L | $\leq 0.25$    | $< 0.00040$   | 合格   | GB/T 5750.9-2023<br>10.2  |
| 71 | 乐果              | mg/L | $\leq 0.006$   | $< 0.00072$   | 合格   | GB/T 5750.9-2023<br>11.2  |
| 72 | 灭草松             | mg/L | $\leq 0.3$     | $< 0.0005$    | 合格   | GB/T 5750.9-2023<br>15.1  |
| 73 | 百菌清             | mg/L | $\leq 0.01$    | $< 0.00042$   | 合格   | GB/T 5750.9-2023<br>12.1  |
| 74 | 呋喃丹             | mg/L | $\leq 0.007$   | $< 0.000125$  | 合格   | GB/T 5750.9-2023<br>18.1  |
| 75 | 毒死蜱             | mg/L | $\leq 0.03$    | $< 0.00025$   | 合格   | GB/T 5750.9-2023<br>19.2  |
| 76 | 草甘膦             | mg/L | $\leq 0.7$     | $< 0.025$     | 合格   | GB/T 5750.9-2023<br>21.1  |
| 77 | 敌敌畏             | mg/L | $\leq 0.001$   | $< 0.00042$   | 合格   | GB/T 5750.9-2023<br>17.2  |
| 78 | 莠去津             | mg/L | $\leq 0.002$   | $< 0.0005$    | 合格   | GB/T 5750.9-2023<br>20.1  |
| 79 | 溴氰菊酯            | mg/L | $\leq 0.02$    | $< 0.00101$   | 合格   | GB/T 5750.9-2023<br>14.1  |
| 80 | 2,4-滴           | mg/L | $\leq 0.03$    | $< 0.00015$   | 合格   | GB/T 5750.9-2023<br>16.1  |
| 81 | 乙草胺             | mg/L | $\leq 0.02$    | $< 0.00002$   | 合格   | GB/T 5750.9-2023<br>41.1  |
| 82 | 五氯酚             | mg/L | $\leq 0.009$   | $< 0.00099$   | 合格   | GB/T 5750.9-2023<br>24.3  |
| 83 | 2,4,6-三氯酚       | mg/L | $\leq 0.2$     | $< 0.00004$   | 合格   | GB/T 5750.10-2023<br>19.1 |
| 84 | 苯并(a)芘          | mg/L | $\leq 0.00001$ | $< 0.0000014$ | 合格   | GB/T 5750.8-2023<br>12.1  |
| 85 | 邻苯二甲酸二(2-乙基己基)酯 | mg/L | $\leq 0.008$   | $< 0.00041$   | 合格   | GB/T 5750.8-2023<br>15.1  |
| 86 | 丙烯酰胺            | mg/L | $\leq 0.0005$  | $< 0.00005$   | 合格   | GB/T 5750.8-2023<br>13.2  |

# 黑龙江中诺检验检测有限公司

## 检测报告



报告编号: SZ25060018

第 7 页 共 7 页

| 序号 | 检测项目                    | 单位   | 标准限值           | 检测结果          | 单项结论 | 检测方法                     |
|----|-------------------------|------|----------------|---------------|------|--------------------------|
| 87 | 环氧氯丙烷                   | mg/L | $\leq 0.0004$  | $< 0.00006$   | 合格   | GB/T 5750.8-2023<br>20.1 |
| 88 | 微囊藻毒素-LR<br>(藻类暴发情况发生时) | mg/L | $\leq 0.001$   | $< 0.00006$   | 合格   | GB/T 5750.8-2023<br>16.1 |
| 89 | 钠                       | mg/L | $\leq 200$     | 50.2          | 合格   | GB/T 5750.6-2023<br>25.3 |
| 90 | 挥发酚类<br>(以苯酚计)          | mg/L | $\leq 0.002$   | $< 0.002$     | 合格   | GB/T 5750.4-2023<br>12.1 |
| 91 | 阴离子合成洗涤剂                | mg/L | $\leq 0.3$     | $< 0.050$     | 合格   | GB/T 5750.4-2023<br>13.1 |
| 92 | 2-甲基异莰醇                 | mg/L | $\leq 0.00001$ | $< 0.0000022$ | 合格   | GB/T 5750.8-2023<br>77   |
| 93 | 土臭素                     | mg/L | $\leq 0.00001$ | $< 0.0000038$ | 合格   | GB/T 5750.8-2023<br>76.1 |
| 94 | 游离氯                     | mg/L | ——             | 0.31          | ——   | GB/T 5750.11-2023<br>4.1 |
| 95 | 总氯                      | mg/L | ——             | $< 0.02$      | ——   | GB/T 5750.11-2023<br>5.1 |
| 96 | 臭氧                      | mg/L | ——             | $< 0.01$      | ——   | GB/T 5750.11-2023<br>9.3 |
| 97 | 二氧化氯                    | mg/L | ——             | $< 0.025$     | ——   | GB/T 5750.11-2023<br>8.1 |

备注: “\*” 为分包项目, 分包项目不在本公司资质认定范围内, 分包项目由青岛市华测检测技术有限公司 (资质认定证书编号 241520340452) 检测完成。

\*\*\*以下空白\*\*\*



## EXPLANATION

1. 检验检测报告为打印件，涂改、删减、无批准人签字，未加盖“黑龙江中诺检验检测有限公司检验检测专用章”及骑缝章无效。

The testing report is printed. It is invalid if altered, deleted, without the signature of the approver, without the "special seal for inspection and testing of HeiLongjiang Zhongnuo Inspection and Testing co., LTD." and without a seal on the perforation.

2. 未经本公司批准，不得复制（全文复制除外）本报告、不得用作广告宣传。

Without the approval of our company, the report shall not be copied (except full-text copy), and shall not be used for advertising.

3. 对报告数据如有异议者，请于收到报告之日起十五日内向本公司提出，逾期不予受理。微生物检验样品不做复检。

If you have any objection to the report data, please submit it to our company within 15 days after receiving the report, it will not be accepted if it is overdue. Microbiological test samples are not retested.

4. 委托检验：系指委托者自带样品送检，依据标准或合同约定进行检验，检验结果仅适用于委托者提供的样品。

Entrusted inspection: means that the consignor delivers the sample for inspection, our company inspects it according to the standard or contract, and the inspection result is only applicable to the sample provided by the consignor.

5. 报告中带有\*号的为分包检验项目。

The items marked with "\*" in the report are subcontracted inspection items.

6. 本检验检测报告一式二份，一份由本公司质量管理部门存档，一份提交送检单位或客户，若客户有需要可以增加提供份数。

The testing report shall be made in duplicate, one of which shall be archived by the quality management department of our company and one of which shall be submitted to the inspection unit or the customer. If the customer has any need, the number of copies may be increased.

7. 送检样品的代表性和真实性由委托者负责。

The representativeness and authenticity of the samples shall be the responsibility of the client.

黑龙江中诺检验检测有限公司

HeiLongjiang Zhongnuo Inspection and Testing co., LTD.

地址 (Add) : 哈尔滨经济技术开发区哈平路集中区松花路 9 号中国云谷软件园 A5 号楼 3 层

电话 (Tel) : 0451-86524011 邮编: 150000